

September, 2017
Version

**NASA Making Earth System Data Records for Use in
Research Environments (MEaSUREs) Global Food
Security-support Analysis Data (GFSAD) @ 30-m for
South America: Cropland Extent Product
(GFSAD30SACE)**

User Guide

USGS EROS
Sioux Falls, South Dakota

Document History

Document Version	Publication Date	Description
1.0	September, 2017	Original
1.1		Modification made according to USGS reviewer comments

Contents

Document History	2
1.0 Dataset Overview	4
1.1 Background	4
2.0 Dataset Characteristics	5
2.1 Global Food Security Support Analysis Data (GFSAD) 30-m V001.....	5
2.1.1 Collection Level.....	5
2.1.2 Granule Level.....	5
2.1.3 Data Layer Characteristics.....	5
2.1.4 Data Layers Classification.....	6
2.1.5 Filename Convention	6
3.0 Dataset Knowledge	6
3.1 Frequently Asked Questions.....	6
4.0 Dataset Access (Applicable Data Tools)	8
5.0 Contact Information	8
6.0 Citations	9
6.1 GFSAD30SACE.....	9
7.0 Publications	9
7.1 Peer-reviewed publications within GFSAD project.....	9
7.2 Web sites and Data portals:.....	10
7.3 Other relevant past publications prior to GFSAD project.....	10
7.4 Books and Book Chapters.....	11

1.0 Dataset Overview

The goal of the Global Food Security-support Analysis Data @ 30-m (GFSAD30) project is to provide the highest resolution, objective cropland datasets to assist and address global food and water security issues in the twenty-first century. The project proposed developing cropland products using time-series Landsat and Sentinel satellite sensor data, machine learning algorithms, and cloud-based computing. The project is funded by the National Aeronautics and Space Administration (NASA) with supplemental funding from the United States Geological Survey (USGS). The project is led by USGS and carried out in collaboration with NASA AMES, University of New Hampshire (UNH), California State University Monterey Bay (CSUMB), University of Wisconsin (UW), NASA GSFC, and Northern Arizona University (NAU). There are a number of International partners, including The International Crops Research Institute for the Semi-Arid Tropics (ICRISAT).

This user's guide provides information about the GFSAD30 cropland extent product for the South American continent (GFSAD30SACE) at nominal 30m resolution for 2015. The Coordinate Reference System (CRS) used for the GFSAD30SACE is a geographic coordinate system (GCS) based on the World Geodetic System 84 (WGS84) reference ellipsoid. The legend is presented in Section 2. Datasets are provided as 10° x 10° tiles in GeoTIFF format. The year, resolution, tiling, and file name convention details are provided in section 2.0 of this document.

1.1 Background

Monitoring global croplands is imperative for ensuring sustainable water and food security for people of the world in the twenty-first century. However, the currently available cropland products suffer from major limitations such as: (1) the absence of precise spatial location of the cropped areas; (2) The coarse resolution nature of the map products with significant uncertainties in areas, locations, and detail; (3) The uncertainties in differentiating irrigated areas from rainfed areas; (4) The absence of crop types and cropping intensities; and/or (5) The absence of a dedicated Internet data portal for the dissemination of these cropland products. This project aims to address all of these knowledge gaps.

Satellite-derived cropland extent maps at high spatial resolution are necessary for food and water security analysis. Therefore, the GFSAD30SACE cropland extent product was produced at a resolution of 30-m for the entire continent of South America for the nominal year 2015 using Landsat-5, 7, and 8 time-series data. These data are part of a global data release, whereby seven different regions are made publically available. Global cropland extent data, indicating cropland and non-cropland areas, provide a working baseline dataset to develop higher-level products, such as crop watering method (irrigated or rainfed), cropping intensities (e.g., single, double, or continuous cropping), crop type mapping, cropland fallow, as well as, the assessment of cropland productivity (productivity per unit of land), and crop water productivity (productivity per unit of water or “crop per drop”). Uncertainties associated with cropland extent data have a cascading effect on all these higher-level cropland datasets.

Cloud-based geo-spatial computing platforms and satellite imagery offer opportunities for producing precise and accurate data of cropland extent and area that meet the spatial and temporal requirements for a broad set of applications. Such data can be a significant improvement compared to existing products, which tend to be coarser resolution, are often not representative of highly dynamic regions, and have a fixed set of cover classes. Cloud-based computing platforms such as Google Earth Engine and new earth-observing satellites like those in the Landsat constellation have brought significant improvements to land use/land cover (LULC) mapping and agriculture monitoring. Specifically, the production of standard static maps of the past will be shifted to dynamic creation of maps from massively large volumes of big data, crowd-sourcing of training and validation samples, and implementing machine learning algorithms on these computing clouds to better serve specific applications.

For a very detailed description of the satellite and reference data, processing schemes, approaches, methods, results, and conclusions of this project, please refer to the algorithm theoretical basis document (ATBD) of GFSAD30SACE.

2.0 Dataset Characteristics

Global food security-support analysis data @ 30-m cropland extent for the South American Continent (GFSAD30SACE) data product and characteristics are described below.

2.1 Global Food Security Support Analysis Data (GFSAD) 30-m V001

2.1.1 Collection Level

Short name	GFSAD30SACE
Temporal Granularity	Static
Temporal Extent	2015, nominal
Spatial Extent	South America
File size	~1.6 GB
Coordinate System	Geographic
Datum	WGS84
File Format	GeoTIFF

2.1.2 Granule Level

Number of Layers	1
Columns/Rows	180029 x 258858
Pixel Size	~30 ~m

2.1.3 Data Layer Characteristics

SDS Layer Name	Description	Units	Data Type	Fill Value	Valid Range	Scale Factor
Band 1	Crop Extent for South American Continent	N/A	8-bit unsigned integer	N/A	0, 1, 2	N/A

2.1.4 Data Layers Classification

Class Label	Class Name	Description
0	Non-Cropland	Non-Cropland areas
1	Cropland	Cropland and Fallow-land
2	Water	Water bodies

2.1.5 Filename Convention

GFSAD30SACE_2015_S10W60_001_2017261200520.tif = File name

GFSAD30SACE = Product Short name

30 = 30 m Spatial Resolution

SA = South America

CE = Crop Extent

2015 = Nominal Year

S10W60 = 10 x 10 degree grid, starting at (S10, W60)

001 = Version

2017261200520= Processing Date in YYYYJJJHHMMSS

3.0 Dataset Knowledge

The following questions address the user information regarding the GFSAD30SACE collection.

3.1 Frequently Asked Questions

What does the GFSAD30SACE product contain?

This product provides cropland extent for continental South America at nominal 30-m. It covers all 55 South American countries.

What is the definition of cropland extent?

For the entire Global Food Security-Support Analysis Data project at 30-m (GFSAD30) project, cropland extent was defined as: “*lands cultivated with plants harvested for food, feed, and fiber, include both seasonal crops (e.g., wheat, rice, corn, soybeans, cotton) and continuous plantations (e.g., coffee, tea, rubber, cocoa, oil palms). Cropland fallows are lands uncultivated during a season or a year but are farmlands and are equipped for cultivation, including plantations (e.g., orchards, vineyards, coffee, tea, rubber)*” (Teluguntla et al., 2015). Cropland extent includes all planted crops and fallow lands. Non-croplands include all other land cover classes other than croplands and cropland fallows.

How can the dataset be obtained?

All the GFSAD30 products are downloadable through the Land Processes Distributed Active Archive Center (LP DAAC). GFSAD30SACE, divided into 10x10 grids, is among them. You can also visualize these data at: croplands.org by going to the “products” drop-down menu.

What is the accuracy of the GFSAD30SACE product?

For the entire continent, the weighted overall accuracy was 93.2% with producer’s accuracy of 82.6% (errors of omissions of 17.4%) and user’s accuracy of 76.7% (errors of commissions of 23.3%) (Table 1). When considering all 5 zones (Figure 1), the overall accuracies ranged between 92.4-96.8%, producer’s accuracies ranged between 79.6-90.9%, and user’s accuracies ranged between 76.7-81.3% (Table 1).

Table 1. Independent Accuracy Assessment of 30-m Cropland Extent Map for South America. Accuracies were assessed for each of the 5 zones as well as for the entire continent.

Zone1		Reference Data			Total	User Accuracy
% TCASA=	1.8%	Crop	No-Crop			
Map Data	Crop	3	5	8	37.5%	
	No-Crop	3	239	242	98.8%	
Total		6	244	250		
Producer Accuracy		50.0%	98.0%		96.8%	

Zone2		Reference Data			Total	User Accuracy
% TCASA=	17.6%	Crop	No-Crop			
Map Data	Crop	25	8	33	75.8%	
	No-Crop	5	212	217	97.7%	
Total		30	220	250		
Producer Accuracy		83.3%	96.4%		94.8%	

Zone 3		Reference Data			Total	User Accuracy
% TCASA=	29.7%	Crop	No-Crop			
Map Data	Crop	39	9	48	81.3%	
	No-Crop	10	191	202	95.1%	
Total		49	200	250		
Producer Accuracy		79.6%	95.5%		92.4%	

Zone 4		Reference Data			Total	User Accuracy
% TCASA=	40.6%	Crop	No-Crop			
Map Data	Crop	40	11	51	78.4%	
	No-Crop	4	195	199	98.0%	
Total		44	206	250		
Producer Accuracy		90.9%	94.7%		94.0%	

Zone 5		Reference Data			Total	User Accuracy
% TCASA=	10.3%	Crop	No-Crop			
Map Data	Crop	21	6	27	77.8%	
	No-Crop	5	218	223	97.8%	
Total		26	224	250		
Producer Accuracy		80.8%	97.3%		95.6%	

All Zones		Reference Data			Total	User Accuracy
% TCASA=	100 %	Crop	No-Crop			
Map Data	Crop	128	39	167	76.7%	
	No-Crop	27	1,056	1,083	97.5%	
Total		155	1,095	1,250		
Producer Accuracy		82.6%	96.4%		94.7%	

Note: Total net cropland area of SA (TCASA) = 282.60Mha

Area weighted accuracy: 93.2%




Figure 1. Stratification of the South American continent into seven distinct refined FAO agro-ecological broad zones. The figure also shows the distribution of the reference training and validation data used in the machine learning algorithms.

Can I obtain the dataset through Google Earth Engine (GEE)?

No. At this time we are not releasing the data on GEE. All data are released through LP DAAC. In the future, such a release will be considered by the PI (Prasad S. Thenkabail).

4.0 Dataset Access (Applicable Data Tools)

The GFSAD30SACE dataset is available through the [LP DAAC Data Pool](#) and [NASA Earthdata Search](#). GFSAD data visualization and information can also be found at <https://croplands.org>.

5.0 Contact Information

LP DAAC User Services
 U.S. Geological Survey (USGS)
 Center for Earth Resources Observation and Science (EROS)
 47914 252nd Street
 Sioux Falls, SD 57198-0001

Phone Number: 605-594-6116

Toll Free: 866-573-3222 (866-LPE-DAAC)

Fax: 605-594-6963

Email: lpdaac@usgs.gov

Web: <https://lpdaac.usgs.gov>

For the Principal Investigators, feel free to write to:

Prasad S. Thenkabail at pthenkabail@usgs.gov

For 30-m cropland extent product of South America, please contact:

Pardhasaradhi Teluguntla at Pteluguntla@usgs.gov

Prasad S. Thenkabail at pthenkabail@usgs.gov

Ying Zhong at ying.zhong105@gmail.com

Chandra Giri at Giri.Chandra@epa.gov

More details about the GFSAD project and products can be found at: globalcroplands.org

6.0 Citations

6.1 GFSAD30SACE

Zhong, Y., Giri, C., Thenkabail, P.S., Teluguntla, P., Congalton, R.G., Yadav, K., Oliphant, A.J., Xiong, J., Poehnel, J., Smith, C. (2017). *NASA Making Earth System Data Records for Use in Research Environments (MEaSUREs) Global Food Security-support Analysis Data (GFSAD) Cropland Extent 2015 South America 30 m V001* [Data set]. NASA EOSDIS Land Processes DAAC. doi:

10.5067/MEaSUREs/GFSAD/GFSAD30SACE.001

7.0 Publications

7.1 Peer-reviewed publications within GFSAD project

Congalton, R.G., Gu, J., Yadav, K., Thenkabail, P.S., and Ozdogan, M. 2014. Global Land Cover Mapping: A Review and Uncertainty Analysis. *Remote Sensing Open Access Journal*. *Remote Sens.* 2014, 6, 12070-12093; <http://dx.doi.org/10.3390/rs61212070>.

Congalton, R.G., 2015. Assessing Positional and Thematic Accuracies of Maps Generated from Remotely Sensed Data. Chapter 29, In Thenkabail, P.S., (Editor-in-Chief), 2015. "Remote Sensing Handbook" Volume I: Volume I: Data Characterization, Classification, and Accuracies: Advances of Last 50 Years and a Vision for the Future. Taylor and Francis Inc.\CRC Press, Boca Raton, London, New York. Pp. 900+. In Thenkabail, P.S., (Editor-in-Chief), 2015. "Remote Sensing Handbook" Volume I: Remotely Sensed Data Characterization, Classification, and Accuracies. Taylor and Francis Inc.\CRC Press, Boca Raton, London, New York. ISBN 9781482217865 - CAT# K22125. Print ISBN: 978-1-4822-1786-5; eBook ISBN: 978-1-4822-1787-2. Pp. 678.

Gumma, M.K., Thenkabail, P.S., Teluguntla, P., Rao, M.N., Mohammed, I.A., and Whitbread, A.M. 2016. Mapping rice-fallow cropland areas for short-season grain legumes intensification in South Asia using MODIS 250 m time-series data. *International Journal of Digital Earth*, <http://dx.doi.org/10.1080/17538947.2016.1168489>

Massey, R., Sankey, T.T., Congalton, R.G., Yadav, K., Thenkabail, P.S., Ozdogan, M., Sánchez Meador, A.J. 2017. MODIS phenology-derived, multi-year distribution of conterminous U.S. crop types, *Remote Sensing of*

Phalke, A. R., Ozdogan, M., Thenkabail, P. S., Congalton, R. G., Yadav, K., & Massey, R. et al. (2017). A Nominal 30-m Cropland Extent and Areas of Europe, Middle-east, Russia and Central Asia for the Year 2015 by Landsat Data using Random Forest Algorithms on Google Earth Engine Cloud. (in preparation).

Teluguntla, P., Thenkabail, P.S., Xiong, J., Gumma, M.K., Congalton, R.G., Oliphant, A., Poehnelt, J., Yadav, K., Rao, M., and Massey, R. 2017. Spectral matching techniques (SMTs) and automated cropland classification algorithms (ACCAs) for mapping croplands of Australia using MODIS 250-m time-series (2000–2015) data, International Journal of Digital Earth.

DOI:10.1080/17538947.2016.1267269.IP-074181, <http://dx.doi.org/10.1080/17538947.2016.1267269>.

Teluguntla, P., Thenkabail, P., Xiong, J., Gumma, M.K., Giri, C., Milesi, C., Ozdogan, M., Congalton, R., Yadav, K., 2015. CHAPTER 6 - Global Food Security Support Analysis Data at Nominal 1 km (GFSAD1km) Derived from Remote Sensing in Support of Food Security in the Twenty-First Century: Current Achievements and Future Possibilities, in: Thenkabail, P.S. (Ed.), Remote Sensing Handbook (Volume II): Land Resources Monitoring, Modeling, and Mapping with Remote Sensing. CRC Press, Boca Raton, London, New York., pp. 131–160. [Link](#).

Xiong, J., Thenkabail, P.S., Tilton, J.C., Gumma, M.K., Teluguntla, P., Oliphant, A., Congalton, R.G., Yadav, K. 2017. A Nominal 30-m Cropland Extent and Areas of Continental South America for the Year 2015 by Integrating Sentinel-2 and Landsat-8 Data using Random Forest, Support Vector Machines and Hierarchical Segmentation Algorithms on Google Earth Engine Cloud. Remote Sensing Open Access Journal (in review).

Xiong, J., Thenkabail, P.S., Gumma, M.K., Teluguntla, P., Poehnelt, J., Congalton, R.G., Yadav, K., Thau, D. 2017. Automated cropland mapping of continental South America using Google Earth Engine cloud computing, ISPRS Journal of Photogrammetry and Remote Sensing, Volume 126, April 2017, Pages 225-244, ISSN 0924-2716, <https://doi.org/10.1016/j.isprsjprs.2017.01.019>.

7.2 Web sites and Data portals:

<http://croplands.org> (30-m global croplands visualization tool)

<http://geography.wr.usgs.gov/science/croplands/index.html> (GFSAD30 web portal and dissemination)

<http://geography.wr.usgs.gov/science/croplands/products.html#LPDAAC> (dissemination on LP DAAC)

<http://geography.wr.usgs.gov/science/croplands/products.html> (global croplands on Google Earth Engine)
croplands.org (crowdsourcing global croplands data)

7.3 Other relevant past publications prior to GFSAD project

Biggs, T., Thenkabail, P.S., Krishna, M., GangadharaRao Rao, P., and Turrall, H., 2006. Vegetation phenology and irrigated area mapping using combined MODIS time-series, ground surveys, and agricultural census data in Krishna River Basin, India. International Journal of Remote Sensing. 27(19):4245-4266.

Biradar, C.M., Thenkabail, P.S., Noojipady, P., Yuanjie, L., Dheeravath, V., Velpuri, M., Turrall, H., Gumma, M.K., Reddy, O.G.P., Xueliang, L. C., Schull, M.A., Alankara, R.D., Gunasinghe, S., Mohideen, S., Xiao, X. 2009. A global map of rainfed cropland areas (GMRCA) at the end of last millennium using remote sensing. International Journal of Applied Earth Observation and Geoinformation. 11(2). 114-129. doi:10.1016/j.jag.2008.11.002. January, 2009.

Dheeravath, V., Thenkabail, P.S., Chandrakantha, G, Noojipady, P., Biradar, C.B., Turrall, H., Gumma, M.1, Reddy, G.P.O., Velpuri, M. 2010. Irrigated areas of India derived using MODIS 500m data for years 2001-2003. ISPRS Journal of Photogrammetry and Remote Sensing. <http://dx.doi.org/10.1016/j.isprsjprs.2009.08.004>. 65(1): 42-59.

Thenkabail, P.S. 2012. Special Issue Foreword. Global Croplands special issue for the August 2012 special issue for Photogrammetric Engineering and Remote Sensing. PE&RS. 78(8): 787- 788. Thenkabail, P.S. 2012. Guest Editor for Global Croplands Special Issue. Photogrammetric Engineering and Remote Sensing. PE&RS. 78(8).

Thenkabail, P.S., Biradar C.M., Noojipady, P., Cai, X.L., Dheeravath, V., Li, Y.J., Velpuri, M., Gumma, M., Pandey, S. 2007a. Sub-pixel irrigated area calculation methods. Sensors Journal (special issue: Remote Sensing of Natural Resources and the Environment (Remote Sensing Sensors Edited by Assefa M. Melesse). 7:2519-2538. <http://www.mdpi.org/sensors/papers/s7112519.pdf>.

Thenkabail, P.S., Biradar C.M., Noojipady, P., Dheeravath, V., Li, Y.J., Velpuri, M., Gumma, M., Reddy, G.P.O., Turrall, H., Cai, X. L., Vithanage, J., Schull, M., and Dutta, R. 2009a. Global irrigated area map (GIAM), derived from remote sensing, for the end of the last millennium. International Journal of Remote Sensing. 30(14): 3679-3733. July, 20, 2009.

Thenkabail, P.S., Biradar, C.M., Turrall, H., Noojipady, P., Li, Y.J., Vithanage, J., Dheeravath, V., Velpuri, M., Schull M., Cai, X. L., Dutta, R. 2006. An Irrigated Area Map of the World (1999) derived from Remote Sensing. Research Report # 105. International Water Management Institute. Pp. 74. Also, see under documents in: <http://www.iwmigiam.org>.

Thenkabail, P. S.; Dheeravath, V.; Biradar, C. M.; Gangalakunta, O. P.; Noojipady, P.; Gurappa, C.; Velpuri, M.; Gumma, M.; Li, Y. 2009b. Irrigated Area Maps and Statistics of India Using Remote Sensing and National Statistics. Journal Remote Sensing. 1:50-67. <http://www.mdpi.com/2072-4292/1/2/50>.

Thenkabail, P.S., GangadharaRao, P., Biggs, T., Krishna, M., and Turrall, H., 2007b. Spectral Matching Techniques to Determine Historical Land use/Land cover (LULC) and Irrigated Areas using Time-series AVHRR Pathfinder Datasets in the Krishna River Basin, India. Photogrammetric Engineering and Remote Sensing. 73(9): 1029-1040. (Second Place Recipients of the 2008 John I. Davidson ASPRS President's Award for Practical papers).

Thenkabail, P.S., Hanjra, M.A., Dheeravath, V., Gumma, M.K. 2010. A Holistic View of Global Croplands and Their Water Use for Ensuring Global Food Security in the 21st Century through Advanced Remote Sensing and Non-remote Sensing Approaches. Remote Sensing open access journal. 2(1):211-261. doi:10.3390/rs2010211. <http://www.mdpi.com/2072-4292/2/1/211>

Thenkabail P.S., Knox J.W., Ozdogan, M., Gumma, M.K., Congalton, R.G., Wu, Z., Milesi, C., Finkral, A., Marshall, M., Mariotto, I., You, S. Giri, C. and Nagler, P. 2012. Assessing future risks to agricultural productivity, water resources and food security: how can remote sensing help? Photogrammetric Engineering and Remote Sensing, August 2012 Special Issue on Global Croplands: Highlight Article. 78(8): 773-782.

Thenkabail, P.S., Schull, M., Turrall, H. 2005. Ganges and Indus River Basin Land Use/Land Cover (LULC) and Irrigated Area Mapping using Continuous Streams of MODIS Data. *Remote Sensing of Environment*. *Remote Sensing of Environment*, 95(3): 317-341.

Velupuri, M., Thenkabail, P.S., Gumma, M.K., Biradar, C.B., Dheeravath, V., Noojipady, P., Yuanjie, L., 2009. Influence of Resolution or Scale in Irrigated Area Mapping and Area Estimations. *Photogrammetric Engineering and Remote Sensing (PE&RS)*. 75(12): December 2009 issue.

7.4 Books and Book Chapters

Teluguntla, P., Thenkabail, P.S., Xiong, J., Gumma, M.K., Giri, C., Milesi, C., Ozdogan, M., Congalton, R., Tilton, J., Sankey, T.R., Massey, R., Phalke, A., and Yadav, K. 2015. Global Food Security Support Analysis Data at Nominal 1 km (GFSAD1 km) Derived from Remote Sensing in Support of Food Security in the Twenty-First Century: Current Achievements and Future Possibilities, Chapter 6. In Thenkabail, P.S., (Editor-in-Chief), 2015. "Remote Sensing Handbook" (Volume II): Land Resources Monitoring, Modeling, and Mapping with Remote Sensing. Taylor and Francis Inc. Press, Boca Raton, London, New York. ISBN 9781482217957 - CAT# K22130. Pp. 131-160

Biradar, C.M., Thenkabail, P.S., Noojipady, P., Li, Y.J., Dheeravath, V., Velupuri, M., Turrall, H., Cai, X.L., Gumma, M., Gangalakunta, O.R.P., Schull, M., Alankara, R.D., Gunasinghe, S., and Xiao, X. 2009. Book Chapter 15: Global map of rainfed cropland areas (GMRCAs) and statistics using remote sensing. Pp. 357-392. In the book entitled: "Remote Sensing of Global Croplands for Food Security" (CRC Press- Taylor and Francis group, Boca Raton, London, New York. Pp. 475. Published in June, 2009. (Editors: Thenkabail, P., Lyon, G.J., Biradar, C.M., and Turrall, H.).

Gangalakunta, O.R.P., Dheeravath, V., Thenkabail, P.S., Chandrakantha, G., Biradar, C.M., Noojipady, P., Velupuri, M., and Kumar, M.A. 2009. Book Chapter 5: Irrigated areas of India derived from satellite sensors and national statistics: A way forward from GIAM experience. Pp. 139-176. In the book entitled: "Remote Sensing of Global Croplands for Food Security" (CRC Press- Taylor and Francis group, Boca Raton, London, New York. Pp. 475. Published in June, 2009. (Editors: Thenkabail, P., Lyon, G.J., Biradar, C.M., and Turrall, H.).

Li, Y.J., Thenkabail, P.S., Biradar, C.M., Noojipady, P., Dheeravath, V., Velupuri, M., Gangalakunta, O.R., Cai, X.L. 2009. Book Chapter 2: A history of irrigated areas of the world. Pp. 13-40. In the book entitled: "Remote Sensing of Global Croplands for Food Security" (CRC Press- Taylor and Francis group, Boca Raton, London, New York. Pp. 475. Published in June, 2009. (Editors: Thenkabail, P., Lyon, G.J., Biradar, C.M., and Turrall, H.).

Thenkabail, P.S., Lyon, G.J., and Huete, A. 2011. Book Chapter # 1: Advances in Hyperspectral Remote Sensing of Vegetation. In Book entitled: "Remote Sensing of Global Croplands for Food Security" (CRC Press- Taylor and Francis group, Boca Raton, London, New York. Edited by Thenkabail, P.S., Lyon, G.J., and Huete, A. Pp. 3-38.

Thenkabail, P.S., Biradar, C.M., Noojipady, P., Dheeravath, V., Gumma, M., Li, Y.J., Velupuri, M., Gangalakunta, O.R.P. 2009c. Book Chapter 3: Global irrigated area maps (GIAM) and statistics using remote sensing. Pp. 41-

120. In the book entitled: “Remote Sensing of Global Croplands for Food Security” (CRC Press- Taylor and Francis group, Boca Raton, London, New York. Pp. 475. Published in June, 2009. (Editors: Thenkabail. P., Lyon, G.J., Biradar, C.M., and Turrall, H.).

Thenkabail. P., Lyon, G.J., Turrall, H., and Biradar, C.M. (Editors) 2009d. Book entitled: “Remote Sensing of Global Croplands for Food Security” (CRC Press- Taylor and Francis group, Boca Raton, London, New York. Pp. 556 (48 pages in color). Published in June, 2009. Reviews of this book: <http://www.crcpress.com/product/isbn/9781420090093> <http://gfmt.blogspot.com/2011/05/review-remote-sensing-of-global.html>

Thenkabail, P.S. and Lyon, J.G. 2009. Book Chapter 20: Remote sensing of global croplands for food security: way forward. Pp. 461-466. In the book entitled: “Remote Sensing of Global Croplands for Food Security” (CRC Press- Taylor and Francis group, Boca Raton, London, New York. Pp. 475. Published in June, 2009. (Editors: Thenkabail. P., Lyon, G.J., Biradar, C.M., and Turrall, H.).

Turrall, H., Thenkabail, P.S., Lyon, J.G., and Biradar, C.M. 2009. Book Chapter 1: Context, need: The need and scope for mapping global irrigated and rain-fed areas. Pp. 3-12. In the book entitled: “Remote Sensing of Global Croplands for Food Security” (CRC Press- Taylor and Francis group, Boca Raton, London, New York. Pp. 475. Published in June, 2009. (Editors: Thenkabail. P., Lyon, G.J., Biradar, C.M., and Turrall, H.).